


### Liberty Bielle®, an alternative for orthopedic & orthodontic treatments

The Liberty Bielle®, the newest addition to the RMO® Functional Education® System, is a Herbst-type appliance. Its unique design allows it to rotate 360 degrees, maximizing lateral movement and providing comfort, flexibility for the patient, and treatment efficiency to the doctor. The Liberty Bielle® consists of an assortment of precisely engineered and manufactured components of the highest quality.

These unique components increase the durability of the appliance by minimizing destructive lateral forces and allowing maximum movement of the mandible in many directions. The Liberty Bielle® is easy to adapt to any standard bracket, wire and tube fixed appliance system. Combined with your edgewise therapy, multiple orthodontic and orthopedic objectives can be achieved simultaneously.



Locking mechanism (similar to RM® Lock) in closed position with wire engaged

#### Arch locking mechanism

Locking mechanism closed onto wire

Arch wire slot

Ball joint allows 360° movement.



Hex Wrench used to lock on wire

### Liberty Bielle®

#### Description

#### Package Contains

#### Order Number



Liberty Bielle® pivot 4,5 mm

1 case

ECM3040

Liberty Bielle® pivot 5 mm

1 case

ECM3045

Kit Liberty Bielle® on wire 0,9 mm

1 case

ECM3060

Kit Liberty Bielle® on wire 1,2 mm

1 case

ECM3065

Fil Elgiloy Bleu .036 inches

10

E00236

Fil Elgiloy Bleu .045 inches

6

E00238

Liberty Bielle® Upper Rod 32 mm

2

ECM3047

Liberty Bielle® Lower Rod 32 mm

2

ECM3048

Liberty Bielle® Pivot 4,5mm

10

ECM3043

Liberty Bielle® Pivot 5 mm

10

ECM3044

Liberty Bielle® Pivot 4,5mm on wire

2

ECM3061

Liberty Bielle® Pivot 5 mm on wire

2

ECM3066

Liberty Bielle® Screw

10

ECM3046

### Liberty Bielle® Fix™

Description	Package Contains	Order Number
<b>Kit de démarrage Liberty Bielle® Fix™</b> (Distalizing and/or clippable version available)  Contains : 1 x ECM3034S • 1 x 1 ECM3032S • 1 x ECM3030S • 1 x ECM3071 • 2 x Activation Spacers 1,5 mm • 2 x Hew Screws	1	ECM3035
Liberty Bielle® Fix™ 20mm	1 case	ECM3034S
Liberty Bielle® Fix™ 22mm	1 case	ECM3032S
Liberty Bielle® Fix™ 32mm	1 case	ECM3030S
Liberty Bielle® Fix™ Pivot	10	ECM3031
Arch Hew Screws	5	J01508
Liberty Bielle® Fix™ Distalizing Pivot for Arch .022 x .028 max	10	ECM3067
Liberty Bielle® Lower Rod 32 mm to bend	2	ECM3037



### Accessoires

Description	Package Contains	Order Number
Activations Spacers 1,5 mm	10	ECM3042
Open Activations Spacers 1,5 mm	10	ECM3039
Liberty Bielle® Fix™ Clinical Screwdriver	1	ECM3071
Removable Liberty Bielle® Laboratory Screwdriver	1	ECM3041
Tips Liberty Bielle® Removable Laboratory Screwdriver	2	ECM3049





### Fulcrum Herbst Appliance - OHA (Orthèse Herbst-Amoric)

Herbst appliance with sliding pivots allowing a certain lateral movement. You just need to slide the pivot along the wire into the desired position and tighten it with the self-blocking screw. Once in position it is integrated into a thermoforming plate. The manufacturing time is reduced with no risk of weld failure. By matching herbs and a removable appliance we benefit from better tools to orient the growth.



Description	Package Contains	Order Number
Pair of Hinges with sliding pivots	1	ECM3011
Pivots and screw Kit	1	ECM3015
Dr Amoric's book - French only	1	ECM3016
1mm Propulsion shafts	10	ECM3018
2mm Propulsion shafts	10	ECM3013
Screw	10	ECM3017
Pivots	10	ECM3019
Maxillary Hinge	2	ECM3020
Mandibular Right Hinge	1	ECM3021
Mandibular Left Hinge	1	ECM3022
5m of .072x.036 wire	1	ECM3014
5m of 0.8mm round lab wire	1	ECM3025



### Facebow, Ricketts®

- Flexible, permits natural expansion
- Outer bow loop provides vertical auxiliary control
- Laser welded and brazed into a strong single unit

Description	Package Contains	Order Number
Non-extraction/Large Arch	1	J00400
Extraction/Small Arch	1	J00401



### Facebow, Penta-Form™ Loop-Style

- 5 sizes of inner bow; length in millimeters is measured from distal end of loop along inner arch to distal end of opposite loop
- .071" made entirely of biomedical spring stainless steel wire outer bow
- .045" inner bow
- Laser welded joint for enhanced strength and reliability
- Marked with size and midline indication

Size	Package Contains	Order Number
1 83mm	1	J01290
2 90mm	1	J01291
3 97mm	1	J01292
4 104mm	1	J01293
5 111mm	1	J01294
Universal Full Form	1	J01297